


- 0 out of 1 points

An identifier can be any sequence of digits and letters


Selected Answer:  [None Given]

Answers:            True  
                          False

- **Question 2**

0 out of 1 points

In C++ there is a difference between a reserved word and a predefined identifier


Selected Answer:  [None Given]

Answers:             True  
                         False

- **Question 3**

0 out of 1 points

A C++ identifier can start with a digit


Selected Answer:  [None Given]


Answers:            True  
                          False

- **Question 4**

0 out of 1 points

The identifiers firstName and FirstName are the same


Selected Answer:  [None Given]

Answers:            True  
                          False

- **Question 5**

0 out of 1 points

Which of the following are valid C++ identifiers?

Selected Answers:  [None Given]

Answers:

- ✔ firstCPPproject
- ✔ POP QUIZ
- C++Program2
- ✔ quiz7
- ✔ VeryLongIdentifier
- ✔ Incorrect
- Mike'sFirstAttempt

• **Question 6**

0 out of 1 points

Match the expressin with the correct value

Question	Answers	Selected Match
$36/5$	✔ A. 7	[None Given]
$18 + 5 * 3/4$	✔ E. None of the Above	[None Given]
$22.0/5$	✔ D. 4.4	[None Given]
$18 - 32/6 * 3$	✔ B. 3	[None Given]

• **Question 7**

0 out of 1 points

"If  $x = 5$ ,  $y = 6$ ,  $z = 4$ , and  $w = 3.5$  then  $(x + z) \% y$  evaluates to \_\_\_\_\_. If the operation is not possible write NP"

Selected Answer: ✘ [None Given]


Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
✔ Exact Match	3	


- **Question 8**

0 out of 1 points

"If  $x = 5$ ,  $y = 6$ ,  $z = 4$ , and  $w = 3.5$  then  $(y + w) \% x$  evaluates to \_\_\_\_\_. If the operation is not possible write NP"

Selected Answer:  [None Given]


Correct Answer:

<b>Evaluation Method</b>	<b>Correct Answer</b>	<b>Case Sensitivity</b>
 <i>Exact Match</i>	NP	


- **Question 9**

0 out of 1 points

"If  $x = 5$ ,  $y = 6$ ,  $z = 4$ , and  $w = 3.5$  then  $((x * y) * w) = z$  evaluates to \_\_\_\_\_. If the operation is not possible write NP"

Selected Answer:  [None Given]

Correct Answer:

<b>Evaluation Method</b>	<b>Correct Answer</b>	<b>Case Sensitivity</b>
 <i>Exact Match</i>	NP	

- **Question 10**

Needs Grading

Write a C++ statement that declares and initializes an int variable called temp to 10 and a char variable ch to 'A'

Selected Answer: [None Given]

Correct Answer:   
`int temp = 10; char ch = 'A';`

- **Question 11**

Needs Grading

Write a C++ statement that Declares int variables x and y.

Selected Answer: [None Given]

Correct Answer: 


```
"int x, y;"
```

- **Question 12**

Needs Grading

Write a C++ statement that declares a char variable called grade and sets the value of grade to 'B'

Selected Answer: [None Given]

Correct Answer:  `char grade = 'B';`

- **Question 13**

Needs Grading

"Write a C++ statement that declares four variables, x, y, z, and stuff, that can store double values"

Selected Answer: [None Given]


Correct Answer:  `"double x, y, z, stuff;"`

- **Question 14**

Needs Grading

Given that x, y, and z are int variables, and x = 2, y = 5, and z = 6, what is the output from the following statement: `cout << "x = " << x << ", y = " << y << ", z = " << z << endl;`

Selected Answer: [None Given]

Correct Answer:  `x = 2, y = 5, z = 6`

- **Question 15**

Needs Grading

"Given the same values as above, what is the output from the statement:

```
cout << "Sum of " << x << " and " << y << " is " << x + y << endl;
```

Selected Answer: [None Given]

Correct Answer: 

Sum of 2 and 5 is 7


- **Question 16**

Needs Grading

Given the same values as above, what is the output from the statement:

```
cout << "2 times " << x << " = " << 2 * x << endl;
```

Selected Answer: [None Given]

Correct Answer:  2 times 2 = 4

Saturday, March 15, 2014 9:32:57 AM EDT